

TL-63 DVB-C SD MPEG-2 Set-Top-Box



DVB-C SD MPEG-2:

SOLUTION:HI2016E+HI3202+GCFD-31L/CD1616LF

Fully DVB-C MPEG2 compliant.

Input frequency 114MHz-858MHz

Symbol rate 1.0 to 7.0 Mbps

Support 16/32/64/128/256 QAM demodulation

Support NIT table network scan, Automatic and manual channel scan.

Channel lists management (moving, locking deleting, favorite list)

3 operation mode (Digital TV, Digital Radio, Favorite)

Standard smart card interface

True colors on screen display (OSD)

Multi-language

Automatic PAL/NTSC conversion.

Electronic Program Guide (EPG) for 7days

Software upgrade through RS232

OTA function



Overview:



Features:

MPEG-2 Digital and Fully DVB-C compliant

Channel decode conforming to DVB-C EN300.

Demodulator conforming to 429 ISO/IEC 13818-1

Constellation 16/32/64/128/256 QAM

Symbol rate 2-45MS/s

Muti standard digital reception with PAL/NTSC conversion and vice-versa.

Extended information for full program information.

Favourite channel lists management (moving ,locking,sorting ,deleting)

8 TV favourite lists and 8 Radio lists

Channel search(Automatic,Manual ,network search mode).

The services could be automatically alphabetically ordered or manually sorted.

Parental lock

256 colour menus

Last channel is automatically saved.

Seven-day EPG(Electronic Program Guide)

Support subtitle

Mail

Software upgrade through RS-232

OTA function.

Support Telecast CAS

DVB-C (ALI)

CPU:ALI3202

RAM:64M

ROM:16M